

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	472	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:22
L2	500	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L3	481	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L4	275	(712/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L5	1310	(718/100).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L6	986	(718/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:23
L7	1	(queue\$1 or buffer\$1 or cache\$1 or list\$1) near4 ((head and tail) near4 (pointer\$1 or ptr\$1)) near4 count\$3 near4 (circular or wrap\$4 or restart\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:30
L8	2	(queue\$1 or buffer\$1 or cache\$1 or list\$1) with ((head and tail) near4 (pointer\$1 or ptr\$1)) with count\$3 with (circular or wrap\$4 or restart\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:33
L9	18	(queue\$1 or buffer\$1 or cache\$1 or list\$1) same ((head and tail) near4 (pointer\$1 or ptr\$1)) same count\$3 same (circular or wrap\$4 or restart\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:34
L10	22	(queue\$1 or buffer\$1 or cache\$1 or list\$1) same ((head and tail) with (pointer\$1 or ptr\$1)) same count\$3 same (circular or wrap\$4 or restart\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 10:52
L11	47	(queue\$1 or buffer\$1 or cache\$1 or list\$1) same ((head and tail) same (pointer\$1 or ptr\$1)) same count\$3 same (circular or wrap\$4 or restart\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 13:47

L12	543	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/12 13:50
S1	5	((multi?thread\$3) or (simultaneous\$2 near4 execut\$3)) near4 ((circular or wrap\$4) near4 (buffer\$3 or queue\$3 or storag\$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:24
S2	10	((multi?thread\$3) or (simultaneous\$2 near4 execut\$3)) with ((circular or wrap\$4) near4 (buffer\$3 or queue\$3 or storag\$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:28
S3	15	((multi?thread\$3) or (simultaneous\$2 near4 execut\$3)) same ((circular or wrap\$4) near4 (buffer\$3 or queue\$3 or storag\$3 or memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:30
S4	0	((multi?thread\$3) or (simultaneous\$2 near4 execut\$3)) same ((circular or wrap\$4) near4 (available or empty or clear or deleted or idle) near4 (slot\$1 or space\$1 or entr\$3 or record\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:33
S5	15	((multi?thread\$3) or (simultaneous\$2 near4 execut\$3)) same ((search\$3 or locat\$3 or find\$3 or determin\$3) near4 (available or empty or clear or deleted or idle) near4 (slot\$1 or space\$1 or entr\$3 or record\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/07 15:35
S6	454	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:19
S7	472	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20
S8	447	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20
S9	246	(712/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20

S10	1076	(718/100).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20
S11	863	(718/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/10 08:20